


Kuntt la. III. 315. (1841) 1. Culini nudi, vaginati apskýlli, anthela latemlis; flores sigul 2 . Bultions hous 3. L. Compressus HODA. [ non 8. May. Mw. Am. 4 partens monting al 5. J. filijomis L. 6 d. andious hollo. (property to 2 Leit) 7. J. setareus. Rostk. 11. J. comming d. Mey. Congismesales, egus us 15 %. Mylace La Harpe New Let. 16. manti men dans 2. Celmi medi basi folisjen - vagineti, anthels termineter Morres ferrirulets. 16 mantimus Lam. 1. Setaceur Rostk flor s. mgl. 3. Culmi soliati ; folia teretca enodia, auth. termeni. flor. singe 4. Culmi foliati ; folia taritis s. setaritis nodosa ; antil. term Herespregnt. a stam. 6 22. I. lamproraspus this, articulation Lin. Jung. 23. I. fusevater School alpines Will gry.) 100. militaris Angel 37. J. Xiphrondes P. Meg. D. randle, Chap. 39 J. Nort Kovii P. Mey nodosus Lin fir gray 40 S. pelotrarpus E. My: = 22 five gray Muhlenbergni spreng. 6. Stam 3 42. L. Canadensis gay . = aouminator, Mich for gray 43. J. aligikosus Aott. Zem. Nov. 44. J. subtilis P. May of fluitans Michn) 45 I aruminated, Michy = 3 J. Sebili, gray for gray 57 d. cohinatur Elle. I. Elliotti Chage. 58 2. Torportes Lami

MISSOURI

BOTANICAL

GARDEN

copyright reserved



59. J. fraternus Runth = paradoxus Meg. fior gn. 60. I. pamdoxus Meg. 5. Culmi mudi's soliati i folia plana s, ramelirelate a. flores æggregati 68 S. anstulatus mich (mary natu, Mosth) J. heternather, no 69 J. repens Mich (Cephaloxys flabellata Sesv) 6. flores solitaris 75 S. Tennis prille 76. Sichotomus Ell. 81. J. bulbosers L. 82 2. Gerardi vois. ( Dottnious Wahl) J. Conrad, Tuellen 84 d. bufonias dig. anomalre 87 d. trifiches L. 6 Culmi besi foliati. supermi medi sta 2 ptylli flores 2-5- plus fesorialeti 6- and semine scobipomia 90 d. rastancus Sait. 2. Mengissi Aller 91 2. bighows L 92 d. Triglamis L. 93 L. Aygius L Dubine ded 96 T. Latratus Meg. (Camba) 97 I Mestinsjamus Bong. = filotter fik Myn 100 I. militaris Boyl (prope 23. I. forovata) 102 d. nodosus Lei (z f. Noskovii neg , 38) I. heteranther, Met AK. C. Mengiesii Br. - 116. Odenks Ex Hork H. Br Ant 192 I. longistyles dom borbdom. i Ennedt Suckern: V. Elletti Chep. I. vandater, Chapen. Labortions il aprin

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved


Touri Capenser ex Mend glan 2. 295 Enjeur " Ma. il. 901 29. L. Kraussin Hochst. 33 2. Leopoldie Partel. Lake. Jugh. Modosi 6 aussi 72 D. princolonies Thems. Janh. - 88. L. oxy carpus, Muy. Torté 108 I. Tragulan; Stend. Dez. 1604.6. gran, Eifolie 109 2. Comet. phylley. Spr. Capusi lat. folken 110 d- Henophylley Stead Capuni angust, foling) , 111 d. flacoride, Steered. Capinis d' Muyer 112 I. subsuono rephshe, Thus. Comis om Mayor, 113 J. subgland doses Steel. Brig. 8795 121 J. supestrij Kuitt. 247/ 124 I. Midestripter Alen. Drey 1603 125. J. anonymu, Hend. Dres 1604 a 126. Seletatuly Me. 1604 e 127 J. Dregeam, All. 166 I. stabnizsoules lett Dry, 8795 expath 2. Liveren XX. 243. (1847) Dreye gives besides, the following 2. marroragues Mees, - acritus I Marilian Laur I spretus Schall. Tapan N. 136. Zee Mrs Ps. I rephaloter Nees ( I rephaloter Sprang) - 1. isolepiddes Rees

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN


MISSOURI
BOTANICAL
GARDEN



Luns Mossini. E. Meger in Hed bown Har Noss. vol IV. p. 221 - 235 - (1853) Deet I. Descriptio deest.! p. 221 [Seminis testa arrite ad natur] Seet It Testa Semiais atningne relaxate. a very impropor division, as the Aminon speries still name Istilly show - reparties, The most closely allied forms. Of stend for us with following 1.221. L. romanis E. Mayer or effestes S. ronglowenter 22 J. astirulatur L. ( J. lampe curpus thish) 226 D. atratus Krock Siles. double allow to L. sylvations. 4 I. Tylvatirus Neich. 228 I paradoxens Meyer, "Sitche, Songard" Meyer Souths it montes populosos observatus, sit. 4. 2. eusiflins Wickst Mualashka " I. faloutis Meyer ( Mestersianen Bong, very d'fent from Leus Folias to stick tooken. H. Bon An, unity if I for Unalashka to California "
Meyor states that. Kuth just more comutty compares it casteries; but reeds one district de " L. Gerardi Lois avoill Istingwish sperier, 2014 Jensen Hoppe is hybrid of J. gleering & D. Domini, 195 J. Drummondi EM. n. sp. Marlanhka - I. antion Hook H. bon Aus, A. 189 excl sy 9. compresses y soltriflores E. Mez L'innee III. 368


0 1 2 3 4 5 6 7 8 9 10

Copyright reserved



Junio Mexicani & Culo Aucendani ex Stende Gleen 1835 Enjune 7. I. compressus HODK. 25 d. aemulans Liben. 26 d. Origabre. Lieben, 22 d. mantimes dan Modosi salsi 38. D. Granifolins Lieben. 39 d. Trinervis Lieben Ht. A63 Mil. Angelow 63 2. ebracteate, Mey, 70 d. Mostkovi Mag. E-aux, 81° L. sandram, Schlecht. Janes Jole; 199 L. ramalirulatur, Lichan. MISSOURI

BOTANICAL copyright reserved cm GARDEN



KK gr. Chp sorgeoids. Lan va dementhe for polyrepholy My Cle, celisaters mull , Ell, worden van mulhiglon, Zu macrosteon gry Kth gr. Chp ponder, meg Sylvations Punk mike KM futures Kth. Chy. Ellotti; Chep. gr. Chp. armiantes Elle Combers Jay Jubilis gonz. Jubert, sillet veite, that solilis meg Ath KH flenstam mikst KH. mikemt har. fleerten Lan 1. 191. aruniales mx polyrepholey My, xx/J. bunk len. 120ly coplain, much. - antiglows thoff. 1 Justin cies vertillater view & fluitons Lan . aligning of lotte comment, mil Casoff In austir Chapen accommenting? Michy 1. 409 polyraphaling mich [= somewas Chypen, 7 cehrante, 3 male MISSOURI

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN

M. Lows, Muguer 1800. Menn es ingend in Three Macht steht dahin zu wirken, dass unsere Rechnung fuer die Academy of Doience vom J. Juli im Retrage von \$ 13500 recht bald begahlt wird, so wuerden Die uns durch Unwen dung derselben sehr verbinden da unsere Werhaeldnifre augenblicklich dert Art sind dass sie die Collectioning dieser Dumme sehr wuenschenswerth machen. Mit achtungsvollem Gruß Gast, Moeller & Co. MISSOURI BOTANICAL GARDIN GEORGE ENGELMANN PAFENS MISSOURI copyright reserved cm GARDEN

Lynny my

Nodosi transni

I. scirposits San = polyrephales Mx (excl var. a?) pie gray Man = cehinatus Muhl ""

= nodosus van meethijlens Jon "

= echinatus Elle for Chap. II.

i d. macrostemes gay i Lehan June 52 for Kth

a. polyrephales D. Michx "

B. tennior = polyrephales a Michx "

B. tennior = polyrephales a Michx "

2. polyceptely ell. Michx wipert

Chapm. Flor.

for gray

J. pandoxas P. Mey: Kth. Gray Chepen. = polyogbolus Ell: file theyer Kth

= ? sylvations Parsh

= futerness Kuntts. File Gray May

I. echinatur Ell. (excl. Muhlers) Kunth, Beyorich.

= polyrephalus B. Muchany, Bush. Job Rellatet & 1th.

= polyrephalus & Mucha ?

Je Kth.


I. Ellisthi Chope of accuminators Ele non they fire Chapen,

J. Kanadonsis gag

1. Sylvations Make

MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



Lyannymy

Involve viripanes Cound (Cound Jul) Where deser?

comp Timp; Stree Flow.


J. f. Cipendeles Buckley in Prov Ar Phil. 1862 p. d.

Smarginetus van heternuther tothe five gray.

J. d'fusissimus Buckley, ib. p. 9. 2. delili, gray five gray

J. Pondii Wood, I woods Class book. 1861 p. 724

(woods 3 ands capit. 5212 fl. (my Emby carper??)



man man 2. debiler Dry! I. arumintes Mich 2. Indvitetting Make not creek a polyrepheling var departer for "

de polyrepheling war departer they to 2. Schiller I. fraternes Kth. I. sustilis Megen, Kuth. 2. 2. fleritures Micky Men Kg La verterlete, blank . . J. s. bouter Mole, hable Zong.

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANICAL GARDEN MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS

and the second of the second o



Alacet to the second

MISSOURI BOTANICAL GARDEN

June: hot four i Must Welp. Ann. I. p. 877. are all is Alendel, 4 M. 653 4 4 1 2 V1. 154: Jums Chilensis Jag, A.Chil. VI. 146 alpino offini d. Olympiring School. Campora por proximo Lest. Hor aloss IV. p., 221. (1853) by E. Mege p. 226 d. atraties Krock - Ashart for dy balitas. Linnaen 29. (185748) p. 74 p.74 2. florsbrunder Philippi ( na HOK). Chili I, olizanthus Mility " Medinia " Nortkovia grueilis Ph. allie t A. grandiflom Forst, Chie. ? glandesting Ph. Cognial. Berifolia Ph. And Oheli . 1 Limea 32. (1863) Fransich Lagribe Hungant p. 189 p. 195 J. Rochliann, Round School. Sylvetit, weltifende. & name without discript. in Linne XX. 243 Junous mnonompins M. esses (Mos Eckler & Jegh.). 73. (proter label) 2. Springeli' Nees (NO 11 lehle A Jeghu) 1. 12. (printed label) ( d. cephalotte, Spray) 1. isolepidoides Mes (M12. = 3 II. 4319. (124.10) ( prints like ad n'aliannes XX. 299 without descript. . J. ranarius Hees i Linnaen XX 243 witht desorge = I. beforeign on Les Srege i Gil. I. filipendalus Buckley - Proc. Ar. Phill (200 14) 1862 p. 8 2. d'fusiissimus Bukley il p.g.

